

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

1. Identification	
Product identifier used on the label:	FEDERATED 5W20 SYNBLEND 55GL
Product Code:	FE52SB55
Other means of identification:	FEDR5272010
Other means of identification: Synonyms:	No data available
Recommended use of the chemical and re	e strictions on use:
Recommended use:	Motor Oil
Restrictions on use:	Uses other than those described above
Name, address, and telephone number	Highline Warren LLC
of the chemical manufacturer,	4500 Malone Road
importer, or other responsible party:	Memphis, TN 38118
Phone number:	+01 (901) 437-8615
E-mail address:	sds@highlinewarren.com
Emergency phone number:	CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification:

Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Lubricating oils, petroleum, hydrotreated spent	No data available	64742-58-1	65 - 85
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	64742-65-0	1 - 5
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	1 - 5
Highly refined synthetic base stocks	No data available	64742-54-7	1 - 5
Distillates, petroleum,	No data available	64742-55-8	1 - 5

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

Chemical Name	Common name and synonyms	CAS #	%
hydrotreated light paraffinic			
Distillates, petroleum, solvent- dewaxed light paraffinic	No data available	64742-56-9	1 - 5
Benzenamine, ar-nonyl-N- (nonylphenyl)-	No data available	36878-20-3	0.5 - 1.5
Zinc O,O,O',O'-tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	No data available	2215-35-2	0.5 - 1
Petroleum distillates, solvent- refined heavy paraffinic	No data available	64741-88-4	0.1 - 0.5

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact:	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	May cause mild skin irritation.
Indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid information available.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting
fires. Water or foam may cause frothing if liquid is burning but it still may
be a useful extinguishing agent if carefully applied to the surface of the

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

	fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous combustion products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide
Special protective equipment and precautions for fire-fighters:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.
6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures:	No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.
7. Handling and storage	
Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8.
Conditions for safe storage, including any incompatibilities: Safe storage conditions:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents

8. Exposure controls/personal protection

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH	US WEEL
Lubricating oils, petroleum,	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data	No data
hydrotreated spent				available	available
Distillates, petroleum,	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data	No data
solvent-dewaxed heavy				available	available
paraffinic					
Petroleum distillates,	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data	No data
hydrotreated heavy				available	available
paraffinic					
Highly refined synthetic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data	No data
base stocks				available	available

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as p	ersonal protective equipment:
Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye protection:	Wear safety glasses when handling this product if there is a likelihood of contact with eyes.
Skin protection:	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves:	Wear appropriate protective gloves to prevent skin exposure.
General hygiene conditions:	Follow all protective equipment recommendations provided in Section 8.

9. Physical and chemical properties

Appearance (physical state, color etc.): Physical state:

Liquid Brown

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

Odor:	Mild Petroleum
Odor Threshold:	Not determined
pH:	No data available
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	No data available
Flash Point (°C):	220
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	Not established
Lower flammability or explosive limits:	Not established
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.85
Solubility(ies):	Insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	48.12

10. Stability and reactivityReactivity:There are no known reactivity hazards associated with this product.Chemical stability:Stable under normal conditions.Possibility of hazardous reactions:None expected under standard conditions of storage.Conditions to avoid (e.g., static
discharge, shock, or vibration):Temperatures above the high flash point of this combustible material in
combination with sparks, open flames, or other sources of ignition.
Moisture (will lead to product performance degradation).

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:		
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	None known.	
Symptoms related to the physical, chemical and toxicological characteristics:	May cause mild skin irritation.	
Delayed and immediate effects and also o	hronic effects from short- and long-term exposure:	
Ingestion:	May be harmful if swallowed. Estimated to be 2.0 - 5.0 g/kg.	
Skin Contact:	This material is likely to be slightly irritating to skin based on animal data.Can cause minor skin irritation, defatting, and dermatitis.	
Inhalation:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.	
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use.	
Sensitization:	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.	
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.	
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.	
Reproductive toxicity	Not known or reported to cause reproductive or developmental toxicity.	
STOT-single exposure:	Based on available data, the classification criteria are not met.	
STOT-repeated exposure:	Based on available data, the classification criteria are not met.	
Aspiration hazard:	Based on available data, the classification criteria are not met.	
Other information:	None known.	

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

Numerical measures of toxicity (such as acute toxicity estimates) Based on available data, the classification criteria are not met.

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological 1	oxicity Data:
--------------	---------------

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Zinc O,O,O',O'-tetrakis(1,3- dimethylbutyl) bis(phosphorodithioate)	2215-35-2	EC50 (48h) Daphnia magna 4 - 6 mg/L	Aquatic ERC50 (96h) 1 - 5 mg/L	LC50 (96h) > 100 mg/L
Benzenamine, ar-nonyl-N- (nonylphenyl)-	36878-20-3	EC50 (48h) Daphnia magna > 100 mg/L	EC50 (72h) Green Algae > 100 mg/L	LC50 (96h) Pimephales promelas (Fathead Minnow) > 1000 mg/L
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Highly refined synthetic base stocks	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Persistence and degradability:	Biodegi	rades slowly.		
Bioaccumulative potential:	Biocon	centration may occur.		
Mobility in soil:		aterial is expected to have y to most soil types.	e essentially no mobi	lity in soil. It absorbs
Other adverse effects (such as hazardous to the ozone layer)		nown.		
13. Disposal considerations				
Description of waste residues information on their safe hand methods of disposal, including disposal of any contaminated packaging:	dling and regulat	or discarded material is r ions.	non-hazardous accordi	ng to environmental
Contaminated packaging:	Recycle	e containers whenever p	ossible.	
14. Transport information				
Carriage of dangerous goods b		•		
Carriage of dangerous goods b DOT Basic Description:		inland waterways: ulated by the US D.O.T.		
DOT Basic Description:	Not reg	ulated by the US D.O.T.		
• • •	Not reg	ulated by the US D.O.T.		
DOT Basic Description: International carriage of dang UN number:	Not reg erous goods by sea Not reg	ulated by the US D.O.T. (IMDG/IMO): Julated by IMDG		
DOT Basic Description: International carriage of dang	Not reg	(IMDG/IMO): Julated by IMDG plicable		
DOT Basic Description: International carriage of dang UN number: UN Proper shipping name:	Not reg erous goods by sea Not reg Not app	(IMDG/IMO): ulated by IMDG plicable plicable		
DOT Basic Description: International carriage of dang UN number: UN Proper shipping name: Transport hazard class(es):	Not reg erous goods by sea Not reg Not app Not app Not app	(IMDG/IMO): Julated by IMDG plicable plicable plicable		
DOT Basic Description: International carriage of dang UN number: UN Proper shipping name: Transport hazard class(es): Packing group, if applicable:	Not reg erous goods by sea Not reg Not app Not app Not app Not app	(IMDG/IMO): Julated by IMDG plicable plicable plicable		
DOT Basic Description: International carriage of dang UN number: UN Proper shipping name: Transport hazard class(es): Packing group, if applicable: International carriage of dange	Not reg erous goods by sea Not reg Not app Not app Not app Not app	(IMDG/IMO): Julated by IMDG plicable plicable plicable plicable plicable		
DOT Basic Description: International carriage of dang UN number: UN Proper shipping name: Transport hazard class(es): Packing group, if applicable: International carriage of dange UN number:	Not reg erous goods by sea Not reg Not app Not app Not app Not app erous goods by air (I Not reg	(IMDG/IMO): Julated by IMDG plicable plicable plicable blicable blicable		

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

Environmental hazards (e.g., Marine pollutant (Yes/No)):	None.
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available
Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:	No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the Active US TSCA Inventory or are exempt.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	Ν	Ν	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	Ν
Highly refined synthetic base stocks	64742-54-7	Ν	Ν	Ν	Ν
Distillates, petroleum, solvent- dewaxed light paraffinic	64742-56-9	Ν	Ν	Ν	Ν
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	Ν	Ν	Ν	Ν
Benzenamine, ar-	36878-20-3	Ν	Ν	Ν	Ν

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

nonyl-N-					
(nonylphenyl)-					
Zinc 0,0,0',0'-					
tetrakis(1,3-					
dimethylbutyl)	2215-35-2	Ν	N	N	N
bis(phosphorodithio					
ate)					
Petroleum distillates,					
solvent-refined	64741-88-4	Ν	N	N	N
heavy paraffinic					

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	N	N	N
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	Ν	N	Ν	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N	Ν	Ν
Highly refined synthetic base stocks	64742-54-7	Ν	N	Ν	Ν
Distillates, petroleum, solvent- dewaxed light paraffinic	64742-56-9	Ν	N	Ν	N
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	Ν	N	Ν	Ν
Benzenamine, ar- nonyl-N- (nonylphenyl)-	36878-20-3	Ν	N	Ν	Ν
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithio ate)	2215-35-2	Ν	N	Ν	Ν

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

Petroleum distillates,					
solvent-refined	64741-88-4	Ν	Ν	N	N
heavy paraffinic					

California Prop 65

WARNING: This product can expose you to chemicals including Benzene which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	N	Ν	Ν	Ν
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	N	N	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	Ν	N	N
Highly refined synthetic base stocks	64742-54-7	N	N	N	N	N
Distillates, petroleum, solvent- dewaxed light paraffinic	64742-56-9	Y	N	N	N	Ν
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	Y	N	Ν	N	Ν
Benzenamine, ar- nonyl-N- (nonylphenyl)-	36878-20-3	Ν	N	Ν	N	Ν
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithio ate)	2215-35-2	N	N	N	N	N
Petroleum distillates, solvent-refined	64741-88-4	Ν	N	Ν	N	Ν

Product identifier used on the label: FEDERATED 5W20 SYNBLEND 55GL Product Code: FE52SB55 Revision Date: 10-31-2023 Replaces: 10-06-2023

	 	-		-
heavy paraffinic				

16. Other information, including date of p	reparation or last revision.
SDS Prepared by:	EHUGHES
Revision Date:	10-31-2023
Revision Number:	9
Reason for revision: References: Other Info:	Activated by Document Formulation Generation No data available No data available
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.