



# Safety Data Sheet

Product identifier used on the label: **FEDERATED 10W30SYNBLEND 55G**  
Product Code: FE13SB55  
Revision Date: 10-31-2023  
Replaces: 10-06-2023

## 1. Identification

Product identifier used on the label: **FEDERATED 10W30SYNBLEND 55G**  
Product Code: FE13SB55  
Other means of identification:

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Motor Oil

Restrictions on use: Uses other than those described above

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: Highline Warren LLC  
4500 Malone Road  
Memphis, TN 38118

Phone number: +01 (901) 437-8615

E-mail address: sds@highlinewarren.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

## 3. Composition/information on ingredients

| Chemical Name  | Common name and synonyms | CAS #      | %       |
|--|--------------------------|------------|---------|
| Petroleum distillates, hydrotreated heavy paraffinic     | No data available        | 64742-54-7 | 45 - 70 |
| Lubricating oils, petroleum, hydrotreated spent          | No data available        | 64742-58-1 | 10 - 30 |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | No data available        | 64742-65-0 | 1 - 5   |
| Highly refined synthetic base stocks                     | No data available        | 64742-54-7 | 1 - 5   |
| Distillates, petroleum,                                  | No data available        | 64742-55-8 | 1 - 5   |

# Safety Data Sheet

Product identifier used on the label: FEDERATED 10W30SYNBLEND 55G

Product Code: FE13SB55

Revision Date: 10-31-2023

Replaces: 10-06-2023

| Chemical Name  | Common name and synonyms | CAS #      | %         |
|--|--------------------------|------------|-----------|
| hydrotreated light paraffinic                                      |                          |            |           |
| Distillates, petroleum, solvent-dewaxed light paraffinic           | No data available        | 64742-56-9 | 1 - 5     |
| Benzenamine, ar-nonyl-N-(nonylphenyl)-                             | No data available        | 36878-20-3 | 0.5 - 1.5 |
| Zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl)bis(phosphorodithioate) | No data available        | 2215-35-2  | 0.5 - 1   |
| Petroleum distillates, solvent-refined heavy paraffinic            | No data available        | 64741-88-4 | 0.1 - 0.5 |

## 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.  |
| <b>Eye Contact:</b>  | None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.                  |
| <b>Skin Contact:</b> | Wash with soap and water. Get medical attention if irritation develops or persists.   |
| <b>Ingestion:</b>    | Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS. |

**Most important symptoms/effects, acute and delayed:** None known.

**Indication of immediate medical attention and special treatment needed, if necessary:** No additional first aid information available.

## 5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

|                                      |  |
|--------------------------------------|--|
| <b>Suitable extinguishing media:</b> | Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the |
|--------------------------------------|--|

# Safety Data Sheet

Product identifier used on the label: FEDERATED 10W30SYNBLEND 55G

Product Code: FE13SB55

Revision Date: 10-31-2023

Replaces: 10-06-2023

|  |  |
|--|--|
| <b>Unsuitable extinguishing media:</b>                                 | fire. Do not direct a stream of water into the hot burning liquid.<br>No data available  |
| <b>Specific hazards arising from the chemical:</b>                     | Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.   |
| <b>Hazardous combustion products:</b>                                  | Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide  |
| <b>Special protective equipment and precautions for fire-fighters:</b> | Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire. |

## 6. Accidental release measures

|   |   |
|---|---|
| <b>Personal precautions, protective equipment and emergency procedures:</b> | Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. |
| <b>Methods and materials for containment and cleaning up:</b>               | Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.   |

## 7. Handling and storage

|  |   |
|--|---|
| <b>Precautions for safe handling:</b>                                | Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer. Follow all protective equipment recommendations provided in Section 8. |
| <b>Conditions for safe storage, including any incompatibilities:</b> |   |
| <b>Safe storage conditions:</b>                                      | Store in a cool dry place. Isolate from incompatible materials.   |
| <b>Materials to Avoid/Chemical</b>                                   | Strong oxidizing agents   |

# Safety Data Sheet

Product identifier used on the label: FEDERATED 10W30SYNBLEND 55G

Product Code: FE13SB55

Revision Date: 10-31-2023

Replaces: 10-06-2023

Incompatibility:

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

| Chemical component                                       | OSHA PEL                | ACGIH TLV               | ACGIH STEL                | IDLH              | US WEEL           |
|--|-------------------------|-------------------------|---------------------------|-------------------|-------------------|
| Petroleum distillates, hydrotreated heavy paraffinic     | 5 mg/m <sup>3</sup> TWA | 5 mg/m <sup>3</sup> TWA | 10 mg/m <sup>3</sup> STEL | No data available | No data available |
| Lubricating oils, petroleum, hydrotreated spent          | 5 mg/m <sup>3</sup> TWA | 5 mg/m <sup>3</sup> TWA | 10 mg/m <sup>3</sup> STEL | No data available | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m <sup>3</sup> TWA | 5 mg/m <sup>3</sup> TWA | 10 mg/m <sup>3</sup> STEL | No data available | No data available |
| Highly refined synthetic base stocks                     | 5 mg/m <sup>3</sup> TWA | 5 mg/m <sup>3</sup> TWA | 10 mg/m <sup>3</sup> STEL | No data available | No data available |

**Appropriate engineering controls:** Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

**Individual protection measures, such as personal protective equipment:**

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

**Eye protection:** Wear safety glasses when handling this product if there is a likelihood of contact with eyes.

**Skin protection:** Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

**Gloves:** Neoprene, Nitrile

**General hygiene conditions:** Follow all protective equipment recommendations provided in Section 8.

# Safety Data Sheet

Product identifier used on the label: FEDERATED 10W30SYNBLEND 55G

Product Code: FE13SB55

Revision Date: 10-31-2023

Replaces: 10-06-2023

## 9. Physical and chemical properties

### Appearance (physical state, color etc.):

|   |                   |
|---|-------------------|
| Physical state:                               | Liquid            |
| Color:  | Brown             |
| Odor:   | Mild Petroleum    |
| Odor Threshold:                               | Not determined    |
| pH:   | No data available |
| Melting point/freezing point:                 |                   |
| Melting Point:                                | No data available |
| Freezing point:                               | No data available |
| Initial boiling point and boiling range (°C): | No data available |
| Flash Point (°C):                             | 220               |
| Evaporation Rate:                             | No data available |
| Flammability (solid, gas):                    | No data available |
| Upper/lower flammability or explosive limits: |                   |
| Upper flammability or explosive limits:       | Not established   |
| Lower flammability or explosive limits:       | Not established   |
| Vapor pressure:                               | No data available |
| Vapor density:                                | No data available |
| Relative density:                             | 0.87              |
| Solubility(ies):                              | Insoluble         |
| Partition coefficient: n-octanol/water:       | No data available |
| Auto-ignition temperature:                    | No data available |
| Decomposition Temperature:                    | Not determined    |
| Viscosity:                                    | 70.2              |

## 10. Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

# Safety Data Sheet

Product identifier used on the label: FEDERATED 10W30SYNBLEND 55G

Product Code: FE13SB55

Revision Date: 10-31-2023

Replaces: 10-06-2023

|   |   |
|---|---|
| <b>Chemical stability:</b>  | Stable under normal conditions.   |
| <b>Possibility of hazardous reactions:</b>                                | None expected under standard conditions of storage.   |
| <b>Conditions to avoid (e.g., static discharge, shock, or vibration):</b> | Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.<br>Moisture (will lead to product performance degradation). |
| <b>Incompatible materials:</b>  | Strong oxidizing agents   |
| <b>Hazardous decomposition products:</b>                                  | Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide   |

## 11. Toxicological information

**Description of the various toxicological (health) effects and the available data used to identify those effects:**

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Eye contact, Ingestion, Inhalation, Skin contact

**Symptoms related to the physical, chemical and toxicological characteristics:** None known.

**Delayed and immediate effects and also chronic effects from short- and long-term exposure:**

**Ingestion:** Estimated to be > 5.0 g/kg.

**Skin Contact:** This material is likely to be slightly irritating to skin based on animal data. Can cause severe irritation, defatting, and dermatitis. Irritation effects may last for hours or days but will not likely result in permanent damage.

**Inhalation:** Likely to be practically non-toxic based on animal data.

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

**Sensitization:** Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

**Carcinogenicity:** Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.

**Reproductive toxicity** Not known or reported to cause reproductive or developmental toxicity.

# Safety Data Sheet

Product identifier used on the label: FEDERATED 10W30SYNBLEND 55G

Product Code: FE13SB55

Revision Date: 10-31-2023

Replaces: 10-06-2023

**STOT-single exposure:** Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

**Other information:** None known.

**Numerical measures of toxicity (such as acute toxicity estimates)** Based on available data, the classification criteria are not met.

**Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:**

| Chemical Name   | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|---|-----------------|-----------------|----------------|
| There are no components that are known or reported to cause cancer. |                 |                 |                |

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

### Ecological Toxicity Data:

| Chemical Name   | CAS #      | Aquatic EC50 Crustacea               | Aquatic ERC50 Algae               | Aquatic LC50 Fish   |
|---|------------|--------------------------------------|-----------------------------------|---|
| Petroleum distillates, solvent-refined heavy paraffinic             | 64741-88-4 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available                 | LC50 (96h) Rainbow Trout > 5000 mg/L                        |
| Zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) | 2215-35-2  | EC50 (48h) Daphnia magna 4 - 6 mg/L  | Aquatic ERC50 (96h) 1 - 5 mg/L    | LC50 (96h) > 100 mg/L                                       |
| Benzenamine, ar-nonyl-N-(nonylphenyl)-                              | 36878-20-3 | EC50 (48h) Daphnia magna > 100 mg/L  | EC50 (72h) Green Algae > 100 mg/L | LC50 (96h) Pimephales promelas (Fathead Minnow) > 1000 mg/L |
| Distillates, petroleum, solvent-dewaxed light paraffinic            | 64742-56-9 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available                 | LC50 (96h) Rainbow Trout > 5000 mg/L                        |
| Distillates, petroleum, hydrotreated light paraffinic               | 64742-55-8 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available                 | LC50 (96h) Rainbow Trout > 5000 mg/L                        |

# Safety Data Sheet

Product identifier used on the label: FEDERATED 10W30SYNBLEND 55G

Product Code: FE13SB55

Revision Date: 10-31-2023

Replaces: 10-06-2023

|  |            |                                      |                   |                                      |
|--|------------|--------------------------------------|-------------------|--------------------------------------|
| Highly refined synthetic base stocks                     | 64742-54-7 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Petroleum distillates, hydrotreated heavy paraffinic     | 64742-54-7 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |

**Persistence and degradability:** Does not biodegrade readily.

**Bioaccumulative potential:** Bioconcentration may occur.

**Mobility in soil:** This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

**Other adverse effects (such as hazardous to the ozone layer):** None known.

## 13. Disposal considerations

**Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:** Spent or discarded material is non-hazardous according to environmental regulations.

**Contaminated packaging:** Recycle containers whenever possible.

## 14. Transport information

**Carriage of dangerous goods by road (DOT), rail or inland waterways:**

**DOT Basic Description:** Not regulated for road transport

**International carriage of dangerous goods by sea (IMDG/IMO):**

**UN number:** Not regulated by IMDG

**UN Proper shipping name:** Not applicable

**Transport hazard class(es):** Not applicable

**Packing group, if applicable:** Not applicable



# Safety Data Sheet

Product identifier used on the label: FEDERATED 10W30SYNBLEND 55G

Product Code: FE13SB55

Revision Date: 10-31-2023

Replaces: 10-06-2023

## International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group, if applicable: Not applicable

Environmental hazards (e.g., Marine pollutant (Yes/No)): None.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): No data available

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises: No data available

## 15. Regulatory information

### Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the Active US TSCA Inventory or are exempt.

### Regulated Components:

| Chemical Name  | CAS #      | CERCLA | Sara EHS | Sara 313 | U.S. HAP |
|--|------------|--------|----------|----------|----------|
| Petroleum distillates, hydrotreated heavy paraffinic     | 64742-54-7 | N      | N        | N        | N        |
| Lubricating oils, petroleum, hydrotreated spent          | 64742-58-1 | N      | N        | N        | N        |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | N      | N        | N        | N        |
| Highly refined synthetic base stocks                     | 64742-54-7 | N      | N        | N        | N        |
| Distillates, petroleum, solvent-                         | 64742-56-9 | N      | N        | N        | N        |

# Safety Data Sheet

**Product identifier used on the label:** FEDERATED 10W30SYNBLEND 55G

**Product Code:** FE13SB55

**Revision Date:** 10-31-2023

**Replaces:** 10-06-2023

|   |            |   |   |   |   |
|---|------------|---|---|---|---|
| dewaxed light paraffinic  |            |   |   |   |   |
| Distillates, petroleum, hydrotreated light paraffinic               | 64742-55-8 | N | N | N | N |
| Benzenamine, ar-nonyl-N-(nonylphenyl)-                              | 36878-20-3 | N | N | N | N |
| Zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) | 2215-35-2  | N | N | N | N |
| Petroleum distillates, solvent-refined heavy paraffinic             | 64741-88-4 | N | N | N | N |

| Chemical Name  | CAS #      | California Prop 65 - Cancer | California Prop 65 - Dev. Toxicity | California Prop 65 - Reprod fem | California Prop 65 - Reprod male |
|--|------------|-----------------------------|------------------------------------|---------------------------------|----------------------------------|
| Petroleum distillates, hydrotreated heavy paraffinic     | 64742-54-7 | N                           | N                                  | N                               | N                                |
| Lubricating oils, petroleum, hydrotreated spent          | 64742-58-1 | N                           | N                                  | N                               | N                                |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | N                           | N                                  | N                               | N                                |
| Highly refined synthetic base stocks                     | 64742-54-7 | N                           | N                                  | N                               | N                                |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | N                           | N                                  | N                               | N                                |
| Distillates, petroleum, hydrotreated light paraffinic    | 64742-55-8 | N                           | N                                  | N                               | N                                |
| Benzenamine, ar-   | 36878-20-3 | N                           | N                                  | N                               | N                                |

# Safety Data Sheet

**Product identifier used on the label:** FEDERATED 10W30SYNBLEND 55G

**Product Code:** FE13SB55

**Revision Date:** 10-31-2023

**Replaces:** 10-06-2023

|  |            |   |   |   |   |
|--|------------|---|---|---|---|
| nonyl-N-(nonylphenyl)-<br>Zinc O,O',O',O'-<br>tetrakis(1,3-dimethylbutyl)<br>bis(phosphorodithioate) | 2215-35-2  | N | N | N | N |
| Petroleum distillates,<br>solvent-refined<br>heavy paraffinic  | 64741-88-4 | N | N | N | N |

## California Prop 65

WARNING: This product can expose you to chemicals including Benzene which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

| Chemical Name  | CAS #      | Massachusetts<br>RTK List | New Jersey<br>RTK List | Pennsylvania<br>RTK List | Rhode<br>Island RTK<br>List | Minnesota<br>Hazardous<br>Substance<br>List |
|--|------------|---------------------------|------------------------|--------------------------|-----------------------------|---|
| Petroleum distillates,<br>hydrotreated heavy<br>paraffinic         | 64742-54-7 | N                         | N                      | N                        | N                           | N   |
| Lubricating oils,<br>petroleum,<br>hydrotreated spent              | 64742-58-1 | N                         | N                      | N                        | N                           | N   |
| Distillates,<br>petroleum, solvent-<br>dewaxed heavy<br>paraffinic | 64742-65-0 | N                         | N                      | N                        | N                           | N   |
| Highly refined<br>synthetic base stocks                            | 64742-54-7 | N                         | N                      | N                        | N                           | N   |
| Distillates,<br>petroleum, solvent-<br>dewaxed light<br>paraffinic | 64742-56-9 | Y                         | N                      | N                        | N                           | N   |
| Distillates,<br>petroleum,<br>hydrotreated light<br>paraffinic     | 64742-55-8 | Y                         | N                      | N                        | N                           | N   |
| Benzenamine, ar-<br>nonyl-N-<br>(nonylphenyl)-                     | 36878-20-3 | N                         | N                      | N                        | N                           | N   |

# Safety Data Sheet

**Product identifier used on the label:** FEDERATED 10W30SYNBLEND 55G

**Product Code:** FE13SB55

**Revision Date:** 10-31-2023

**Replaces:** 10-06-2023

|   |            |   |   |   |   |   |
|---|------------|---|---|---|---|---|
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)bis(phosphorodithioate) | 2215-35-2  | N | N | N | N | N |
| Petroleum distillates, solvent-refined heavy paraffinic           | 64741-88-4 | N | N | N | N | N |

## 16. Other information, including date of preparation or last revision.

**SDS Prepared by:** CDURSTON  
**Revision Date:** 10-31-2023  
**Revision Number:** 8  
**Reason for revision:** Activated by Document Formulation Generation  
**References:** No data available  
**Other Info:** No data available

**Disclaimer:** This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.